WEBVTT

00:00:00.000 --> 00:00:03.138 Funding for Yale Cancer Answers is NOTE Confidence: 0.928484391818182 $00{:}00{:}03.138 \dashrightarrow 00{:}00{:}06.120$ provided by Smilow Cancer Hospital. NOTE Confidence: 0.928484391818182 $00:00:06.120 \longrightarrow 00:00:08.100$ Welcome to Yale Cancer Answers NOTE Confidence: 0.928484391818182 $00:00:08.100 \rightarrow 00:00:10.080$ with Doctor Anees Chappar. NOTE Confidence: 0.928484391818182 00:00:10.080 --> 00:00:11.556 Yale Cancer Answers features NOTE Confidence: 0.928484391818182 $00{:}00{:}11.556 \dashrightarrow 00{:}00{:}13.401$ the latest information on cancer NOTE Confidence: 0.928484391818182 $00:00:13.401 \rightarrow 00:00:15.281$ care by welcoming oncologists and NOTE Confidence: 0.928484391818182 $00:00:15.281 \rightarrow 00:00:17.459$ specialists who are on the forefront NOTE Confidence: 0.928484391818182 $00{:}00{:}17.521 \dashrightarrow 00{:}00{:}19.195$ of the battle to fight cancer. NOTE Confidence: 0.928484391818182 00:00:19.200 --> 00:00:21.126 This week it's a conversation about NOTE Confidence: 0.928484391818182 00:00:21.126 --> 00:00:22.808 Ewing Sarcoma with Doctor Hari NOTE Confidence: 0.928484391818182 $00:00:22.808 \dashrightarrow 00:00:24.550$ Deshpande and his patient, Julia. NOTE Confidence: 0.928484391818182 $00:00:24.550 \rightarrow 00:00:26.500$ Doctor Deshpande is an associate NOTE Confidence: 0.928484391818182 $00{:}00{:}26{.}500 \dashrightarrow 00{:}00{:}28{.}488$ professor of medicine and medical NOTE Confidence: 0.928484391818182 00:00:28.488 --> 00:00:30.648 oncology at the Yale School of NOTE Confidence: 0.928484391818182

 $00:00:30.648 \rightarrow 00:00:32.549$ Medicine where Doctor Chagpar is

NOTE Confidence: 0.928484391818182

00:00:32.549 --> 00:00:34.434 a professor of surgical oncology.

NOTE Confidence: 0.917423431818182

00:00:35.560 --> 00:00:38.272 Julia, maybe we can start off by you

NOTE Confidence: 0.917423431818182

00:00:38.272 --> 00:00:40.718 telling us a little bit about yourself

NOTE Confidence: 0.917423431818182

 $00:00:40.718 \longrightarrow 00:00:43.720$ and your story.

NOTE Confidence: 0.850447647142857

 $00:00:43.720 \rightarrow 00:00:46.835$ Absolutely. I feel honored to be here.

NOTE Confidence: 0.850447647142857

 $00:00:46.840 \longrightarrow 00:00:49.624$ So thank you so much.

NOTE Confidence: 0.850447647142857

 $00:00:49.624 \longrightarrow 00:00:52.552$ I'm a 30 year old woman.

NOTE Confidence: 0.850447647142857

00:00:52.560 --> 00:00:57.448 I was diagnosed with Ewing Sarcoma in 2015,

NOTE Confidence: 0.850447647142857

 $00:00:57.448 \longrightarrow 00:01:03.168$ so quite a while ago and

NOTE Confidence: 0.850447647142857

 $00:01:03.168 \rightarrow 00:01:08.675$ it was to my surprise, I was in

NOTE Confidence: 0.850447647142857

 $00:01:08.675 \dashrightarrow 00:01:10.800$ PA school, physician assistant school,

NOTE Confidence: 0.850447647142857

00:01:10.800 --> 00:01:15.360 I was in my graduate year and had

NOTE Confidence: 0.850447647142857

 $00:01:15.360 \longrightarrow 00:01:19.200$ been having some pain for a while and

NOTE Confidence: 0.850447647142857

 $00:01:19.200 \longrightarrow 00:01:24.472$ I got a work up and got the

NOTE Confidence: 0.850447647142857

 $00:01:24.472 \longrightarrow 00:01:26.951$ diagnosis, had to take off about a year

- NOTE Confidence: 0.850447647142857
- $00{:}01{:}26{.}951 \dashrightarrow 00{:}01{:}31{.}240$ and a half of school to do up front
- NOTE Confidence: 0.850447647142857
- $00:01:31.240 \rightarrow 00:01:35.320$ therapy and that was very difficult
- NOTE Confidence: 0.850447647142857
- 00:01:35.320 --> 00:01:40.480 you know, being 22, starting my career
- NOTE Confidence: 0.850447647142857
- $00{:}01{:}40{.}480 \dashrightarrow 00{:}01{:}43{.}387$ to be a PA and I was so excited and
- NOTE Confidence: 0.850447647142857
- $00{:}01{:}43.387 \dashrightarrow 00{:}01{:}46.631$ and this threw a big
- NOTE Confidence: 0.850447647142857
- $00:01:46.631 \longrightarrow 00:01:50.824$ wrench in my life
- NOTE Confidence: 0.850447647142857
- $00:01:50.824 \rightarrow 00:01:53.752$ plans as a cancer diagnosis often does.
- NOTE Confidence: 0.929461477
- $00:01:56.000 \rightarrow 00:02:00.416$ So at that point I started my therapy
- NOTE Confidence: 0.929461477
- $00{:}02{:}00{.}416 \dashrightarrow 00{:}02{:}03{.}728$ at Yale in the pediatric
- NOTE Confidence: 0.929461477
- 00:02:03.728 --> 00:02:06.008 world because it's a pediatric
- NOTE Confidence: 0.929461477
- 00:02:06.008 --> 00:02:08.600 cancer and a young adult cancer
- NOTE Confidence: 0.929461477
- $00{:}02{:}08{.}683 \dashrightarrow 00{:}02{:}10{.}998$ but often in younger children.
- NOTE Confidence: 0.929461477
- $00:02:11.000 \longrightarrow 00:02:15.304$ So I did that therapy and
- NOTE Confidence: 0.929461477
- $00{:}02{:}15{.}304 \dashrightarrow 00{:}02{:}17{.}730$ then there were
- NOTE Confidence: 0.929461477
- $00:02:17.730 \longrightarrow 00:02:19.480$ more bumps along the road.
- NOTE Confidence: 0.929461477

 $00:02:19.480 \longrightarrow 00:02:24.342$ There were multiple relapses and while

NOTE Confidence: 0.929461477

00:02:24.342 --> 00:02:27.779 I was having these relapses I decided

NOTE Confidence: 0.929461477

 $00:02:27.779 \rightarrow 00:02:31.272$ to go back to school and get my degree.

NOTE Confidence: 0.929461477

 $00{:}02{:}31{.}272 \dashrightarrow 00{:}02{:}34{.}460$ So I finish and

NOTE Confidence: 0.929461477

 $00{:}02{:}34{.}460 \dashrightarrow 00{:}02{:}36{.}720$ became a physician assistant.

NOTE Confidence: 0.929461477

 $00:02:36.720 \dashrightarrow 00:02:40.950$ So that was really a very proud part

NOTE Confidence: 0.929461477

00:02:40.950 --> 00:02:45.205 of my journey and then as things

NOTE Confidence: 0.929461477

 $00{:}02{:}45{.}205 \dashrightarrow 00{:}02{:}48{.}280$ progressed I started to incorporate

NOTE Confidence: 0.929461477

 $00{:}02{:}48.280 \dashrightarrow 00{:}02{:}51.744$ my cancer as part of my life

NOTE Confidence: 0.929461477

 $00{:}02{:}51.744 \dashrightarrow 00{:}02{:}53.666$ instead of something that hindered

NOTE Confidence: 0.929461477

 $00{:}02{:}53.666 \dashrightarrow 00{:}02{:}56.736$ my life. And so I decided that I

NOTE Confidence: 0.929461477

00:02:56.736 --> 00:02:58.440 really wanted to work in oncology.

NOTE Confidence: 0.929461477

 $00:02:58.440 \longrightarrow 00:03:01.568$ So I got

NOTE Confidence: 0.929461477

00:03:01.568 --> 00:03:04.396 my first job at Mass General

NOTE Confidence: 0.929461477

 $00:03:04.400 \dashrightarrow 00:03:08.320$ in pediatric radiation on cology.

NOTE Confidence: 0.929461477

 $00:03:08.320 \longrightarrow 00:03:10.400$ and I've worked there for several years at

 $00{:}03{:}10{.}400 \dashrightarrow 00{:}03{:}13{.}040$ the beginning of my career while

NOTE Confidence: 0.929461477

 $00{:}03{:}13.040 \dashrightarrow 00{:}03{:}16.784$ getting my treatment and so as things

NOTE Confidence: 0.929461477

 $00:03:16.784 \rightarrow 00:03:19.652$ had progressed there were many

NOTE Confidence: 0.929461477

 $00:03:19.652 \longrightarrow 00:03:22.130$ bumps along the road

NOTE Confidence: 0.929461477

 $00:03:22.216 \rightarrow 00:03:24.916$ as many cancer patients experience

NOTE Confidence: 0.929461477

 $00:03:24.920 \longrightarrow 00:03:29.192$ and many relapses.

NOTE Confidence: 0.929461477

 $00:03:29.192 \longrightarrow 00:03:33.746$ And this was about a year or so

NOTE Confidence: 0.929461477

 $00:03:33.746 \rightarrow 00:03:36.284$ ago and there was a a pretty big shock to

NOTE Confidence: 0.929461477

 $00:03:36.284 \rightarrow 00:03:38.959$ everybody and that was when I contacted Dr.

NOTE Confidence: 0.929461477

00:03:38.960 --> 00:03:41.907 Deshpande because the

NOTE Confidence: 0.929461477

 $00:03:41.907 \rightarrow 00:03:44.783$ cancer had spread to my brain and so

NOTE Confidence: 0.929461477

 $00{:}03{:}44.783 \dashrightarrow 00{:}03{:}47.745$ that was a pretty shocking moment in my life.

NOTE Confidence: 0.929461477

 $00:03:47.745 \rightarrow 00:03:52.144$ Again was was halted pretty severely and Dr.

NOTE Confidence: 0.929461477

 $00{:}03{:}52{.}144 \dashrightarrow 00{:}03{:}55{.}704$ Deshpande was there and surprised

NOTE Confidence: 0.929461477

 $00{:}03{:}55{.}704 \dashrightarrow 00{:}04{:}00{.}696$ supported me and he's a

 $00:04:00.696 \longrightarrow 00:04:01.440$ really special man

NOTE Confidence: 0.721243432

 $00{:}04{:}04{.}280 \dashrightarrow 00{:}04{:}06{.}960$ that's that's fantastic and and

NOTE Confidence: 0.721243432

00:04:06.960 --> 00:04:09.662 Doctor Deshpande Hari I want to bring

NOTE Confidence: 0.721243432

 $00:04:09.662 \rightarrow 00:04:12.054$ you into this conversation just to

NOTE Confidence: 0.721243432

 $00{:}04{:}12.054 \dashrightarrow 00{:}04{:}15.225$ kind of flesh out a little bit more

NOTE Confidence: 0.721243432

00:04:15.225 --> 00:04:17.622 about what exactly is Ewing sarcoma.

NOTE Confidence: 0.721243432

00:04:17.622 --> 00:04:21.836 So can you kind of tell us what it is

NOTE Confidence: 0.721243432

 $00{:}04{:}21.836 \dashrightarrow 00{:}04{:}24.720$ and a bit about the demographic that

NOTE Confidence: 0.721243432

 $00{:}04{:}24.720 \dashrightarrow 00{:}04{:}27.920$ is affected by it and how it presents

NOTE Confidence: 0.717994452

 $00:04:29.160 \longrightarrow 00:04:30.720$ Yes. So thank you, Anise.

NOTE Confidence: 0.717994452

 $00{:}04{:}30{.}720 \dashrightarrow 00{:}04{:}33{.}471$ It's, it's nice to see you again

NOTE Confidence: 0.717994452

 $00:04:33.471 \longrightarrow 00:04:36.239$ and it's great to see Julia here.

NOTE Confidence: 0.717994452

 $00{:}04{:}36{.}240 \dashrightarrow 00{:}04{:}37{.}448$ It's a rare disease.

NOTE Confidence: 0.717994452

00:04:37.448 --> 00:04:39.999 So it's not quite one in a million,

NOTE Confidence: 0.717994452

 $00{:}04{:}40{.}000 \dashrightarrow 00{:}04{:}42{.}799$ but it's probably two or three in a million.

NOTE Confidence: 0.717994452

 $00:04:42.800 \longrightarrow 00:04:47.000$ So it's not surprising that

- NOTE Confidence: 0.717994452
- 00:04:47.000 --> 00:04:48.520 people haven't heard of it.
- NOTE Confidence: 0.717994452
- 00:04:48.520 --> 00:04:50.760 And even when you're at PA school,
- NOTE Confidence: 0.717994452
- 00:04:50.760 --> 00:04:52.895 it's probably not high on your list
- NOTE Confidence: 0.717994452
- $00:04:52.895 \longrightarrow 00:04:55.160$ of lectures that you hear about.
- NOTE Confidence: 0.717994452
- $00:04:55.160 \dashrightarrow 00:04:57.240$ But Julia's absolutely correct.
- NOTE Confidence: 0.717994452
- $00:04:57.240 \longrightarrow 00:04:59.840$ It's mainly a disease of
- NOTE Confidence: 0.717994452
- $00:04:59.840 \rightarrow 00:05:01.799$ children and young adults.
- NOTE Confidence: 0.717994452
- 00:05:01.800 --> 00:05:02.888 In children,
- NOTE Confidence: 0.717994452
- $00:05:02.888 \rightarrow 00:05:07.240$ it's almost always a disease of the bone.
- NOTE Confidence: 0.717994452
- $00:05:07.240 \longrightarrow 00:05:08.152$ In other words,
- NOTE Confidence: 0.717994452
- $00:05:08.152 \longrightarrow 00:05:10.280$ it starts in one of the bones.
- NOTE Confidence: 0.717994452
- $00{:}05{:}10.280 \dashrightarrow 00{:}05{:}12.812$ In adults, it can be either,
- NOTE Confidence: 0.717994452
- $00{:}05{:}12.812 \dashrightarrow 00{:}05{:}15.148$ it can start either in the bone or
- NOTE Confidence: 0.717994452
- $00{:}05{:}15{.}148 \dashrightarrow 00{:}05{:}17{.}397$ in what we call the soft tissue.
- NOTE Confidence: 0.717994452
- $00:05:17.400 \dashrightarrow 00:05:20.634$ So that's other areas of the body.
- NOTE Confidence: 0.717994452

 $00:05:20.640 \rightarrow 00:05:23.640$ And if it does occur in the bone,

NOTE Confidence: 0.717994452

 $00:05:23.640 \rightarrow 00:05:25.992$ and you may remember this from your

NOTE Confidence: 0.717994452

00:05:25.992 --> 00:05:27.465 medical school lectures, Anesic,

NOTE Confidence: 0.717994452

 $00:05:27.465 \rightarrow 00:05:30.720$ it can have a very characteristic appearance.

NOTE Confidence: 0.717994452

 $00{:}05{:}30{.}720 \dashrightarrow 00{:}05{:}32{.}688$ We call it an onion skinning

NOTE Confidence: 0.717994452

 $00:05:32.688 \longrightarrow 00:05:34.000$ appearance in the shaft.

NOTE Confidence: 0.717994452

00:05:34.000 --> 00:05:37.289 So, but it really,

NOTE Confidence: 0.717994452

 $00{:}05{:}37.289 \dashrightarrow 00{:}05{:}40.104$ it's difficult to predict where

NOTE Confidence: 0.717994452

 $00{:}05{:}40{.}104 \dashrightarrow 00{:}05{:}43{.}262$ it's going to occur and who it's

NOTE Confidence: 0.717994452

 $00:05:43.262 \rightarrow 00:05:45.488$ going to occur and it doesn't

NOTE Confidence: 0.717994452

 $00:05:45.488 \longrightarrow 00:05:47.690$ seem to have a specific cause,

NOTE Confidence: 0.717994452

 $00:05:47.690 \longrightarrow 00:05:49.915$ some cancers that we see.

NOTE Confidence: 0.717994452

 $00:05:49.920 \longrightarrow 00:05:51.028$ We can say oh,

NOTE Confidence: 0.717994452

00:05:51.028 --> 00:05:53.496 this runs in your family or you got

NOTE Confidence: 0.717994452

 $00:05:53.496 \dashrightarrow 00:05:55.710$ this because you work around nuclear

NOTE Confidence: 0.717994452

 $00:05:55.710 \longrightarrow 00:05:57.840$ material or something like that.

 $00:05:57.840 \rightarrow 00:05:59.760$ But that's not really the case with Ewings.

NOTE Confidence: 0.9387047066666667

00:06:00.080 --> 00:06:02.516 And. And so Julia, you know,

NOTE Confidence: 0.9387047066666667

 $00:06:02.520 \rightarrow 00:06:04.116$ when you were telling your story,

NOTE Confidence: 0.9387047066666667

 $00:06:04.120 \longrightarrow 00:06:05.660$ you had mentioned that

NOTE Confidence: 0.9387047066666667

 $00{:}06{:}05{.}660 \dashrightarrow 00{:}06{:}07{.}200$ this started with pain.

NOTE Confidence: 0.9387047066666667

00:06:07.200 --> 00:06:09.120 Can you tell us a little bit more?

NOTE Confidence: 0.9387047066666667

00:06:09.120 --> 00:06:12.280 I mean, certainly when you're 30 years old,

NOTE Confidence: 0.9387047066666667

00:06:12.280 --> 00:06:15.880 you know, you're, you're APA student,

NOTE Confidence: 0.9387047066666667

 $00:06:15.880 \rightarrow 00:06:18.239$ I can't imagine that you were thinking,

NOTE Confidence: 0.9387047066666667

00:06:18.240 --> 00:06:21.237 you know, if I have some sort of pain,

NOTE Confidence: 0.9387047066666667

 $00:06:21.240 \longrightarrow 00:06:23.160$ this is going to be a Ewing sarcoma.

NOTE Confidence: 0.9387047066666667

 $00{:}06{:}23.160 \dashrightarrow 00{:}06{:}25.088$ So can you tell us a little bit

NOTE Confidence: 0.9387047066666667

 $00:06:25.088 \rightarrow 00:06:26.717$ more about what was this pain,

NOTE Confidence: 0.9387047066666667

 $00{:}06{:}26{.}720 \dashrightarrow 00{:}06{:}28{.}911$ where was this pain and and what

NOTE Confidence: 0.9387047066666667

 $00{:}06{:}28{.}911 \dashrightarrow 00{:}06{:}30{.}692$ actually brought you to the doctor

00:06:30.692 --> 00:06:32.512 cause many of us I would think

NOTE Confidence: 0.9387047066666667

00:06:32.571 --> 00:06:34.636 would shrug that kind of stuff off.

NOTE Confidence: 0.795902123

 $00{:}06{:}35{.}360$ --> $00{:}06{:}39{.}196$ Absolutely. I I I second what doctor NOTE Confidence: 0.795902123

 $00:06:39.196 \rightarrow 00:06:41.490$ Deshpande says about not learning

NOTE Confidence: 0.795902123

00:06:41.490 --> 00:06:43.440 much about ewings in PA school.

NOTE Confidence: 0.795902123

00:06:43.440 --> 00:06:45.012 I don't, I don't even know

NOTE Confidence: 0.795902123

 $00:06:45.012 \longrightarrow 00:06:46.680$ if we learned of about it.

NOTE Confidence: 0.795902123

 $00:06:46.680 \longrightarrow 00:06:49.038$ So it wasn't on my mind.

NOTE Confidence: 0.795902123

00:06:49.040 --> 00:06:53.676 But I so at at 22 I I was not it

NOTE Confidence: 0.795902123

 $00{:}06{:}53.676 \dashrightarrow 00{:}06{:}55.710$ was definitely not on my mind

NOTE Confidence: 0.795902123

 $00{:}06{:}55{.}794 \dashrightarrow 00{:}06{:}58{.}068$ when I was having some pretty

NOTE Confidence: 0.795902123

00:06:58.068 --> 00:07:00.480 severe pain in my right hip.

NOTE Confidence: 0.795902123

 $00{:}07{:}00{.}480 \dashrightarrow 00{:}07{:}03{.}408$ But it presented as a sciatica

NOTE Confidence: 0.795902123

 $00:07:03.408 \longrightarrow 00:07:04.872$ type of presentation.

NOTE Confidence: 0.795902123

 $00{:}07{:}04.880 \dashrightarrow 00{:}07{:}07{.}148$ So some numbress kind of down

NOTE Confidence: 0.795902123

 $00:07:07.148 \longrightarrow 00:07:10.159$ my leg and in my glute muscle.

- NOTE Confidence: 0.795902123
- $00{:}07{:}10.160 \dashrightarrow 00{:}07{:}12.720$ And so that that it started kind of

 $00{:}07{:}12.720 \dashrightarrow 00{:}07{:}15.078$ vague and it would be on and off.

NOTE Confidence: 0.795902123

00:07:15.080 --> 00:07:16.958 And so I started physical therapy,

NOTE Confidence: 0.795902123

 $00:07:16.960 \longrightarrow 00:07:20.320$ which is often the the case.

NOTE Confidence: 0.795902123

00:07:20.320 --> 00:07:23.023 This kind of typical course of,

NOTE Confidence: 0.795902123

00:07:23.023 --> 00:07:25.081 I think, I'm sure Doctor Spondee

NOTE Confidence: 0.795902123

 $00:07:25.081 \longrightarrow 00:07:26.759$ would agree that you know,

NOTE Confidence: 0.795902123

 $00:07:26.760 \longrightarrow 00:07:28.280$ usually they see, you know,

NOTE Confidence: 0.795902123

 $00:07:28.280 \rightarrow 00:07:30.352$ you go to physical therapy and you kind

NOTE Confidence: 0.795902123

 $00{:}07{:}30{.}352 \dashrightarrow 00{:}07{:}33{.}000$ of do exercises and see if it gets better.

NOTE Confidence: 0.795902123

00:07:33.000 --> 00:07:35.385 And it did get better for a bit and

NOTE Confidence: 0.795902123

 $00{:}07{:}35{.}385 \dashrightarrow 00{:}07{:}37{.}519$ then it got worse again and then

NOTE Confidence: 0.795902123

 $00{:}07{:}37{.}519 \dashrightarrow 00{:}07{:}40{.}083$ it got better and it got worse and

NOTE Confidence: 0.795902123

 $00{:}07{:}40.083 \dashrightarrow 00{:}07{:}42.033$ that that was about nine months.

NOTE Confidence: 0.795902123

 $00:07:42.040 \dashrightarrow 00:07:45.982$ And they saw orthopedic an orthopedist

 $00:07:45.982 \rightarrow 00:07:50.760$ who had diagnosed piriformis syndrome

NOTE Confidence: 0.795902123

 $00{:}07{:}50.760 \dashrightarrow 00{:}07{:}54.768$ like which is again you know something

NOTE Confidence: 0.795902123

 $00{:}07{:}54.768 \dashrightarrow 00{:}07{:}57.268$ that would would be relieved with

NOTE Confidence: 0.795902123

 $00:07:57.268 \rightarrow 00:07:59.353$ with stretching and and exercises.

NOTE Confidence: 0.795902123

00:07:59.360 --> 00:08:00.878 So I would start to do

NOTE Confidence: 0.795902123

 $00:08:00.878 \longrightarrow 00:08:02.440$ those and it didn't improve.

NOTE Confidence: 0.795902123

 $00{:}08{:}02{.}440 \dashrightarrow 00{:}08{:}07{.}126$ So actually a rheumatologist he he

NOTE Confidence: 0.795902123

 $00:08:07.126 \longrightarrow 00:08:10.378$ was the one who had done a a very

NOTE Confidence: 0.795902123

00:08:10.378 --> 00:08:12.772 thorough exam and ordered the the

NOTE Confidence: 0.795902123

 $00{:}08{:}12.772 \dashrightarrow 00{:}08{:}15.051$ first image and that was nine months

NOTE Confidence: 0.795902123

 $00{:}08{:}15{.}051 \dashrightarrow 00{:}08{:}17{.}396$ after the the beginning of my pain.

NOTE Confidence: 0.795902123

 $00:08:17.400 \longrightarrow 00:08:19.680$ So I finally got an image,

NOTE Confidence: 0.795902123

 $00{:}08{:}19.680 \dashrightarrow 00{:}08{:}22.392$ and the image showed the tumor

NOTE Confidence: 0.795902123

 $00{:}08{:}22{.}392 \dashrightarrow 00{:}08{:}25{.}780$ in my right pelvis and at the I

NOTE Confidence: 0.795902123

 $00:08:25.780 \longrightarrow 00:08:27.360$ was metastatic A diagnosis.

NOTE Confidence: 0.795902123

 $00:08:27.360 \rightarrow 00:08:31.959$ So it had spread to my lungs at that time,

- NOTE Confidence: 0.795902123
- 00:08:31.959 --> 00:08:34.197 likely because of the length of

 $00:08:34.197 \longrightarrow 00:08:38.320$ time it took to to to find it.

NOTE Confidence: 0.795902123

00:08:38.320 --> 00:08:39.648 So again,

NOTE Confidence: 0.795902123

 $00:08:39.648 \rightarrow 00:08:43.520$ you know that vague type of pain

NOTE Confidence: 0.795902123

 $00:08:43.520 \rightarrow 00:08:45.704$ could be many things, right?

NOTE Confidence: 0.795902123

 $00{:}08{:}45{.}704 \dashrightarrow 00{:}08{:}48{.}190$ We think of a we don't think of the

NOTE Confidence: 0.795902123

 $00{:}08{:}48{.}190 \dashrightarrow 00{:}08{:}50{.}160$ zebra you know all the time And so

NOTE Confidence: 0.814433103846154

 $00{:}08{:}52{.}440 \dashrightarrow 00{:}08{:}55{.}950$ I I think that there's it's I look back

NOTE Confidence: 0.814433103846154

 $00{:}08{:}55{.}950 \dashrightarrow 00{:}09{:}00{.}178$ on that time and and I I have of course

NOTE Confidence: 0.814433103846154

 $00{:}09{:}00{.}178 \dashrightarrow 00{:}09{:}02{.}776$ feelings about wishing I had pushed

NOTE Confidence: 0.814433103846154

 $00:09:02.776 \rightarrow 00:09:05.888$ for an image but it it wasn't really

NOTE Confidence: 0.814433103846154

00:09:05.888 --> 00:09:08.520 standard of care to do that. Yeah.

NOTE Confidence: 0.90784579

 $00{:}09{:}09{.}040 \dashrightarrow 00{:}09{:}11{.}440$ So, Hari, can we pick up on this

NOTE Confidence: 0.90784579

 $00{:}09{:}11.440 \dashrightarrow 00{:}09{:}13.852$ conversation in, in the sense that,

NOTE Confidence: 0.90784579

 $00:09:13.852 \dashrightarrow 00:09:15.496$ you know, understandably, right.

 $00:09:15.496 \rightarrow 00:09:18.072$ You would think common things being common,

NOTE Confidence: 0.90784579

00:09:18.080 --> 00:09:19.784 this is going to be, you know,

NOTE Confidence: 0.90784579

 $00:09:19.784 \longrightarrow 00:09:21.176$ a muscle pull is going to

NOTE Confidence: 0.90784579

 $00:09:21.176 \longrightarrow 00:09:22.120$ be piriform is syndrome,

NOTE Confidence: 0.90784579

 $00:09:22.120 \longrightarrow 00:09:23.720$ it may even be sciatica.

NOTE Confidence: 0.90784579

 $00{:}09{:}23.720 \dashrightarrow 00{:}09{:}26.760$ You should do physical the rapy.

NOTE Confidence: 0.90784579

 $00{:}09{:}26.760 \dashrightarrow 00{:}09{:}30.288$ Is there often a delay in that diagnosis

NOTE Confidence: 0.90784579

 $00:09:30.288 \rightarrow 00:09:34.118$ and how is the diagnosis actually made?

NOTE Confidence: 0.942968595

00:09:35.320 --> 00:09:37.582 Yeah. No, I think both you

NOTE Confidence: 0.942968595

 $00:09:37.582 \longrightarrow 00:09:39.639$ and Julia just picked up on,

NOTE Confidence: 0.942968595

 $00{:}09{:}39{.}640 \dashrightarrow 00{:}09{:}41{.}548$ on the main problem with this

NOTE Confidence: 0.942968595

 $00:09:41.548 \rightarrow 00:09:43.480$ presentation is that it is a very,

NOTE Confidence: 0.942968595

 $00:09:43.480 \longrightarrow 00:09:44.683$ very rare disease.

NOTE Confidence: 0.942968595

 $00:09:44.683 \rightarrow 00:09:48.300$ And so when you see people who don't see

NOTE Confidence: 0.942968595

 $00:09:48.300 \rightarrow 00:09:51.680$ this every day or may not ever see this,

NOTE Confidence: 0.942968595

 $00:09:51.680 \rightarrow 00:09:54.515$ then it's not something they're thinking of.

 $00:09:54.520 \rightarrow 00:09:59.925$ And that's why I it's important really

NOTE Confidence: 0.942968595

 $00{:}09{:}59{.}925 \dashrightarrow 00{:}10{:}01{.}920$ in in all of medicine if something

NOTE Confidence: 0.942968595

 $00:10:01.920 \longrightarrow 00:10:03.726$ doesn't get better in a time frame

NOTE Confidence: 0.942968595

 $00:10:03.726 \rightarrow 00:10:05.560$ that you expect it to get better,

NOTE Confidence: 0.942968595

 $00{:}10{:}05{.}560 \dashrightarrow 00{:}10{:}08{.}912$ it is worth taking a look to see

NOTE Confidence: 0.942968595

 $00:10:08.912 \longrightarrow 00:10:11.239$ whether it's something else.

NOTE Confidence: 0.942968595

 $00:10:11.240 \longrightarrow 00:10:13.682$ But that's a very general statement

NOTE Confidence: 0.942968595

 $00:10:13.682 \longrightarrow 00:10:16.828$ and that time frame is it can be

NOTE Confidence: 0.942968595

 $00:10:16.828 \longrightarrow 00:10:18.633$ a very long time unfortunately.

NOTE Confidence: 0.942968595

 $00{:}10{:}18.640 \dashrightarrow 00{:}10{:}22.608$ But if you are thinking about either

NOTE Confidence: 0.942968595

 $00{:}10{:}22.608 \dashrightarrow 00{:}10{:}25.536$ Ewing sarcoma or another what we

NOTE Confidence: 0.942968595

00:10:25.536 --> 00:10:28.654 call a primary cancer of the bone

NOTE Confidence: 0.942968595

 $00{:}10{:}28.654 \dashrightarrow 00{:}10{:}31.800$ or even any abnormality in the bone,

NOTE Confidence: 0.942968595

 $00{:}10{:}31.800 \dashrightarrow 00{:}10{:}34.560$ the first thing that we really want to

NOTE Confidence: 0.942968595

 $00:10:34.560 \dashrightarrow 00:10:38.157$ do to make a diagnosis is to get a biopsy.

 $00:10:38.160 \longrightarrow 00:10:40.120$ So, and this can be done in

NOTE Confidence: 0.942968595

 $00{:}10{:}40{.}120 \dashrightarrow 00{:}10{:}40{.}960$ many different ways,

NOTE Confidence: 0.942968595

 $00:10:40.960 \rightarrow 00:10:44.936$ but the most common is to somehow get

NOTE Confidence: 0.942968595

 $00:10:44.936 \rightarrow 00:10:48.016$ a needle into the area of concern,

NOTE Confidence: 0.942968595

 $00{:}10{:}48.016 \dashrightarrow 00{:}10{:}50.800$ get a small piece of tissue which

NOTE Confidence: 0.942968595

 $00:10:50.800 \rightarrow 00:10:53.386$ our pathologists can then look over

NOTE Confidence: 0.942968595

 $00:10:53.386 \rightarrow 00:10:55.960$ and hopefully make a diagnosis.

NOTE Confidence: 0.942968595

 $00:10:55.960 \rightarrow 00:11:01.150$ The the problem with sarcomas in general

NOTE Confidence: 0.942968595

 $00{:}11{:}01{.}150 \dashrightarrow 00{:}11{:}04{.}360$ is sometimes the if any surgery is

NOTE Confidence: 0.942968595

 $00:11:04.360 \rightarrow 00:11:07.400$ going to be done after the biopsy,

NOTE Confidence: 0.942968595

 $00:11:07.400 \longrightarrow 00:11:09.920$ then they have to not just

NOTE Confidence: 0.942968595

 $00:11:09.920 \longrightarrow 00:11:11.600$ remove the lesion itself,

NOTE Confidence: 0.942968595

 $00:11:11.600 \rightarrow 00:11:15.440$ but remove the entire biopsy tract.

NOTE Confidence: 0.942968595

 $00:11:15.440 \longrightarrow 00:11:16.580$ So in other words,

NOTE Confidence: 0.942968595

 $00{:}11{:}16.580 \dashrightarrow 00{:}11{:}18.966$ if the needle goes into the skin and

NOTE Confidence: 0.942968595

 $00:11:18.966 \rightarrow 00:11:21.398$ then through the muscle and to the bone,

- NOTE Confidence: 0.942968595
- $00:11:21.400 \longrightarrow 00:11:23.560$ they have to reset that whole
- NOTE Confidence: 0.942968595
- $00:11:23.560 \longrightarrow 00:11:25.864$ area that the needle went through
- NOTE Confidence: 0.942968595
- 00:11:25.864 --> 00:11:28.240 if they're going to do surgery.
- NOTE Confidence: 0.942968595
- $00:11:28.240 \dashrightarrow 00:11:32.076$ And so we have a special radiology
- NOTE Confidence: 0.942968595
- 00:11:32.076 --> 00:11:34.558 service which many tertiary centres
- NOTE Confidence: 0.942968595
- $00{:}11{:}34{.}558 \dashrightarrow 00{:}11{:}36{.}653$ have who are very experienced
- NOTE Confidence: 0.942968595
- 00:11:36.653 00:11:38.600 in doing these biopsies.
- NOTE Confidence: 0.942968595
- $00{:}11{:}38.600 \dashrightarrow 00{:}11{:}41.314$ And and that's what they will do to
- NOTE Confidence: 0.942968595
- $00{:}11{:}41{.}314 \dashrightarrow 00{:}11{:}43{.}850$ make sure they do it in the safest
- NOTE Confidence: 0.942968595
- $00:11:43.937 \longrightarrow 00:11:46.319$ but also the best possible way
- NOTE Confidence: 0.724269604285714
- $00:11:46.760 \longrightarrow 00:11:48.302$ presumably a,
- NOTE Confidence: 0.724269604285714
- $00{:}11{:}48{.}302 \dashrightarrow 00{:}11{:}52{.}157$ a bone biopsy doesn't tickle.
- NOTE Confidence: 0.724269604285714
- $00:11:52.160 \longrightarrow 00:11:54.600$ Is that done under anaesthesia?
- NOTE Confidence: 0.724269604285714
- 00:11:54.600 --> 00:11:56.735 I mean it, it sounds like it's
- NOTE Confidence: 0.724269604285714
- $00{:}11{:}56.735 \dashrightarrow 00{:}11{:}57.968$ certainly not something that
- NOTE Confidence: 0.724269604285714

 $00:11:57.968 \rightarrow 00:11:59.516$ you would do in the office.

NOTE Confidence: 0.724269604285714

 $00:11:59.520 \longrightarrow 00:12:00.520$ It depends what kind

NOTE Confidence: 0.818250453333333

 $00:12:00.520 \longrightarrow 00:12:03.381$ of bone biopsy. So in my earlier

NOTE Confidence: 0.818250453333333

00:12:03.381 --> 00:12:06.429 days I I used to see some hematology

NOTE Confidence: 0.818250453333333

 $00{:}12{:}06{.}429 \dashrightarrow 00{:}12{:}08{.}124$ patients and a bone marrow

NOTE Confidence: 0.818250453333333

 $00:12:08.124 \rightarrow 00:12:10.560$ biopsy can be done in the office.

NOTE Confidence: 0.818250453333333

 $00{:}12{:}10.560 \dashrightarrow 00{:}12{:}12.534$ And I would say most of our

NOTE Confidence: 0.818250453333333

 $00:12:12.534 \rightarrow 00:12:14.519$ biopsies are done as an outpatient.

NOTE Confidence: 0.818250453333333

00:12:14.520 --> 00:12:17.358 For someone like Julia who we're

NOTE Confidence: 0.818250453333333

 $00:12:17.358 \longrightarrow 00:12:19.760$ looking at a particular area,

NOTE Confidence: 0.818250453333333

 $00:12:19.760 \longrightarrow 00:12:23.144$ then you do have to use a type of

NOTE Confidence: 0.818250453333333

00:12:23.144 --> 00:12:24.964 guided biopsy, in other words,

NOTE Confidence: 0.818250453333333

 $00{:}12{:}24{.}964 \dashrightarrow 00{:}12{:}27{.}552$ some kind of imaging to guide the

NOTE Confidence: 0.818250453333333

 $00:12:27.552 \rightarrow 00:12:29.995$ biopsy needle where it's going to go.

NOTE Confidence: 0.818250453333333

00:12:30.000 --> 00:12:31.356 And and I can't remember Julia,

NOTE Confidence: 0.818250453333333

 $00:12:31.360 \longrightarrow 00:12:32.840$ what they used with you.

- NOTE Confidence: 0.818250453333333
- 00:12:32.840 --> 00:12:33.716 Do you remember,
- NOTE Confidence: 0.818250453333333
- 00:12:33.716 --> 00:12:36.640 was it a CAT scan or an ultrasound?
- NOTE Confidence: 0.818250453333333
- 00:12:36.640 --> 00:12:37.680 But that's usually the,
- NOTE Confidence: 0.789538743333333
- $00:12:38.520 \longrightarrow 00:12:40.716$ I think it was on ultrasound.
- NOTE Confidence: 0.933337298571429
- $00:12:40.800 \longrightarrow 00:12:42.837$ Yeah, that's typically how we do it.
- NOTE Confidence: 0.918126430909091
- $00{:}12{:}43{.}440 \dashrightarrow 00{:}12{:}47{.}507$ Julia had mentioned that her cancer was
- NOTE Confidence: 0.918126430909091
- $00:12:47.507 \longrightarrow 00:12:50.918$ metastatic at the time of her diagnosis.
- NOTE Confidence: 0.918126430909091
- 00:12:50.918 --> 00:12:53.234 So Julia where had it spread
- NOTE Confidence: 0.918126430909091
- $00:12:53.234 \rightarrow 00:12:55.757$ by the time it was diagnosed?
- NOTE Confidence: 0.869567610769231
- $00:12:56.960 \longrightarrow 00:12:59.042$ At the time of diagnosis it
- NOTE Confidence: 0.869567610769231
- $00:12:59.042 \rightarrow 00:13:01.440$ had spread to my lungs.
- NOTE Confidence: 0.869567610769231
- $00:13:01.440 \longrightarrow 00:13:04.797$ I had a couple lung nodules which
- NOTE Confidence: 0.6439715416666667
- 00:13:07.840 --> 00:13:09.556 doctor Deshpande will comment on,
- NOTE Confidence: 0.6439715416666667
- 00:13:09.560 --> 00:13:12.440 but I think is very commonplace
- NOTE Confidence: 0.643971541666667
- $00{:}13{:}12{.}440 \dashrightarrow 00{:}13{:}14{.}960$ that the sarcoma will spread to.
- NOTE Confidence: 0.643971541666667

00:13:14.960 --> 00:13:17.452 So there weren't any other organs and

NOTE Confidence: 0.643971541666667

00:13:17.452 --> 00:13:20.620 I did have a bone marrow biopsy that

NOTE Confidence: 0.6439715416666667

 $00{:}13{:}20.620 \dashrightarrow 00{:}13{:}22.984$ he had mentioned which was negative.

NOTE Confidence: 0.6439715416666667

 $00:13:22.984 \longrightarrow 00:13:25.588$ So the primary tumor had spread

NOTE Confidence: 0.643971541666667

 $00:13:25.588 \rightarrow 00:13:28.076$ to the lungs only at that time.

NOTE Confidence: 0.955858969166667

 $00{:}13{:}28{.}520 \dashrightarrow 00{:}13{:}30{.}431$ Well, we need to take a short

NOTE Confidence: 0.955858969166667

00:13:30.431 --> 00:13:32.320 break for a medical minute,

NOTE Confidence: 0.955858969166667

 $00:13:32.320 \longrightarrow 00:13:34.210$ but please stay tuned to learn

NOTE Confidence: 0.955858969166667

 $00{:}13{:}34{.}210 \dashrightarrow 00{:}13{:}35{.}986$ more about Julia's story and

NOTE Confidence: 0.955858969166667

 $00:13:35.986 \rightarrow 00:13:38.278$ Ewing Sarcoma with my guests Dr.

NOTE Confidence: 0.955858969166667

 $00{:}13{:}38{.}280 \dashrightarrow 00{:}13{:}40{.}040$ Hari, Deshpande and Julia.

NOTE Confidence: 0.888534523333333

 $00:13:40.760 \rightarrow 00:13:43.058$ Support for Yale Cancer Answers comes

NOTE Confidence: 0.888534523333333

 $00{:}13{:}43.058 \dashrightarrow 00{:}13{:}45.048$ from Smilow Cancer Hospital where

NOTE Confidence: 0.888534523333333

00:13:45.048 --> 00:13:47.023 their Prostate and Urologic cancers

NOTE Confidence: 0.888534523333333

 $00:13:47.023 \rightarrow 00:13:49.538$ program provides a multi specialty team

NOTE Confidence: 0.888534523333333

 $00:13:49.538 \rightarrow 00:13:51.718$ dedicated to managing the diagnosis,

 $00{:}13{:}51{.}720 \dashrightarrow 00{:}13{:}54{.}720$ evaluation and treatment of bladder cancer.

NOTE Confidence: 0.888534523333333

00:13:54.720 --> 00:13:59.786 Smilowcancerhospital.org. There are many

NOTE Confidence: 0.888534523333333

 $00:13:59.786 \rightarrow 00:14:02.180$ obstacles to face when quitting smoking as

NOTE Confidence: 0.888534523333333

 $00:14:02.240 \rightarrow 00:14:04.760$ smoking involves the potent drug nicotine.

NOTE Confidence: 0.888534523333333

 $00:14:04.760 \rightarrow 00:14:06.510$ Quitting smoking is a very

NOTE Confidence: 0.888534523333333

00:14:06.510 --> 00:14:07.560 important lifestyle change,

NOTE Confidence: 0.888534523333333

 $00:14:07.560 \rightarrow 00:14:09.212$ especially for patients undergoing

NOTE Confidence: 0.888534523333333

 $00{:}14{:}09{.}212 \dashrightarrow 00{:}14{:}12{.}191$ cancer treatment as it's been shown to

NOTE Confidence: 0.888534523333333

 $00:14:12.191 \rightarrow 00:14:14.356$ positively impact response to treatments,

NOTE Confidence: 0.888534523333333

 $00:14:14.360 \longrightarrow 00:14:16.550$ decrease the likelihood that patients

NOTE Confidence: 0.888534523333333

 $00:14:16.550 \rightarrow 00:14:18.302$ will develop second malignancies

NOTE Confidence: 0.888534523333333

 $00{:}14{:}18{.}302 \dashrightarrow 00{:}14{:}20{.}397$ and increase rates of survival.

NOTE Confidence: 0.888534523333333

00:14:20.400 --> 00:14:22.276 Tobacco treatment programs are

NOTE Confidence: 0.888534523333333

 $00:14:22.276 \rightarrow 00:14:24.621$ currently being offered at federally

NOTE Confidence: 0.888534523333333

 $00{:}14{:}24.621 \dashrightarrow 00{:}14{:}25.917$ designated comprehensive cancer

 $00:14:25.917 \rightarrow 00:14:28.191$ centers such as Yale Cancer Center

NOTE Confidence: 0.888534523333333

00:14:28.191 --> 00:14:30.278 and Smilow Cancer Hospital.

NOTE Confidence: 0.888534523333333

 $00:14:30.280 \longrightarrow 00:14:32.360$ All treatment components are evidence

NOTE Confidence: 0.888534523333333

 $00:14:32.360 \rightarrow 00:14:35.229$ based and patients are treated with FDA

NOTE Confidence: 0.888534523333333

 $00{:}14{:}35{.}229 \dashrightarrow 00{:}14{:}37{.}395$ approved first line medications as well

NOTE Confidence: 0.888534523333333

 $00:14:37.395 \rightarrow 00:14:39.782$ as smoking cessation counseling that

NOTE Confidence: 0.888534523333333

 $00:14:39.782 \rightarrow 00:14:41.914$ stresses appropriate coping skills.

NOTE Confidence: 0.888534523333333

 $00:14:41.920 \longrightarrow 00:14:44.288$ More information is available

NOTE Confidence: 0.888534523333333

 $00:14:44.288 \longrightarrow 00:14:45.525$ at yale cancercenter.org.

NOTE Confidence: 0.888534523333333

00:14:45.525 --> 00:14:49.395 You're listening to Connecticut Public Radio.

NOTE Confidence: 0.888534523333333

00:14:49.400 --> 00:14:49.840 Welcome

NOTE Confidence: 0.92122326

 $00{:}14{:}49{.}840 \dashrightarrow 00{:}14{:}52{.}240$ back to Yale Cancer Answers.

NOTE Confidence: 0.92122326

00:14:52.240 --> 00:14:53.880 This is Doctor Anees Chagpar,

NOTE Confidence: 0.92122326

 $00:14:53.880 \rightarrow 00:14:56.260$ and I'm joined tonight by my guests

NOTE Confidence: 0.92122326

00:14:56.260 --> 00:14:58.240 Doctor Hari Deshpande and Julia.

NOTE Confidence: 0.92122326

 $00:14:58.240 \longrightarrow 00:15:00.553$ Now we're talking about Julia's

- NOTE Confidence: 0.92122326
- 00:15:00.553 --> 00:15:02.518 cancer journey with Ewing Sarcoma.

00:15:02.520 --> 00:15:04.320 And right before the break,

NOTE Confidence: 0.92122326

 $00:15:04.320 \longrightarrow 00:15:05.968$ Julia was mentioning that

NOTE Confidence: 0.92122326

 $00:15:05.968 \rightarrow 00:15:08.440$ her pain was in her hip.

NOTE Confidence: 0.92122326

 $00:15:08.440 \longrightarrow 00:15:10.558$ They thought it might be sciatica,

NOTE Confidence: 0.92122326

 $00:15:10.560 \dashrightarrow 00:15:12.864$ might be piriform is syndrome.

NOTE Confidence: 0.92122326

00:15:12.864 --> 00:15:14.262 Ultimately, A rheumatologist

NOTE Confidence: 0.92122326

 $00{:}15{:}14.262 \dashrightarrow 00{:}15{:}16.317$ sent her for some imaging.

NOTE Confidence: 0.92122326

 $00:15:16.320 \longrightarrow 00:15:18.672$ She had a biopsy and ultimately

NOTE Confidence: 0.92122326

 $00{:}15{:}18.672 \dashrightarrow 00{:}15{:}20.880$ was diagnosed with Ewing sarcoma.

NOTE Confidence: 0.92122326

 $00:15:20.880 \rightarrow 00:15:23.554$ But by the time she was diagnosed,

NOTE Confidence: 0.92122326

 $00{:}15{:}23.560 \dashrightarrow 00{:}15{:}26.038$ it had already spread to her lungs.

NOTE Confidence: 0.92122326

 $00{:}15{:}26.040 \dashrightarrow 00{:}15{:}28.674$ So Hari, is that common that

NOTE Confidence: 0.92122326

 $00{:}15{:}28.674 \dashrightarrow 00{:}15{:}32.096$ at the time of diagnosis most

NOTE Confidence: 0.92122326

 $00:15:32.096 \rightarrow 00:15:34.959$ patients are already metastatic?

 $00:15:36.640 \rightarrow 00:15:37.798$ You know that's a good question.

NOTE Confidence: 0.9104427666666667

 $00{:}15{:}37{.}800 \dashrightarrow 00{:}15{:}40{.}236$ I don't know the exact numbers.

NOTE Confidence: 0.9104427666666667

 $00:15:40.240 \longrightarrow 00:15:43.416$ We do see patients who it's

NOTE Confidence: 0.9104427666666667

 $00:15:43.416 \longrightarrow 00:15:44.600$ what we call localised.

NOTE Confidence: 0.9104427666666667

 $00:15:44.600 \rightarrow 00:15:46.640$ So it hasn't spread anywhere.

NOTE Confidence: 0.9104427666666667

 $00:15:46.640 \longrightarrow 00:15:48.474$ But if it is going to spread,

NOTE Confidence: 0.9104427666666667

 $00:15:48.480 \longrightarrow 00:15:51.196$ then the first place it usually spreads

NOTE Confidence: 0.9104427666666667

 $00:15:51.196 \rightarrow 00:15:55.272$ to is the lung, just as Julia says.

NOTE Confidence: 0.9104427666666667

 $00{:}15{:}55{.}272 \dashrightarrow 00{:}15{:}57{.}512$ And with bone sarcomas,

NOTE Confidence: 0.9104427666666667

 $00{:}15{:}57{.}512 \dashrightarrow 00{:}16{:}00{.}232$ we actually have different stages

NOTE Confidence: 0.9104427666666667

 $00{:}16{:}00{.}232 \dashrightarrow 00{:}16{:}02{.}451$ that you people listening have

NOTE Confidence: 0.9104427666666667

00:16:02.451 --> 00:16:04.713 probably heard of stages of cancer.

NOTE Confidence: 0.9104427666666667

 $00{:}16{:}04.720 \dashrightarrow 00{:}16{:}09.970$ And with sarcomas, we have a stage

NOTE Confidence: 0.9104427666666667

 $00:16:09.970 \longrightarrow 00:16:11.956$ 4 if it's spread to the lungs,

NOTE Confidence: 0.9104427666666667

 $00:16:11.960 \longrightarrow 00:16:14.354$ but it's 4A if it's spread to the lungs,

NOTE Confidence: 0.9104427666666667

 $00{:}16{:}14.360 \dashrightarrow 00{:}16{:}17.920$ whereas it's 4B if it spreads somewhere else.

- NOTE Confidence: 0.9104427666666667
- $00{:}16{:}17{.}920 \dashrightarrow 00{:}16{:}19{.}565$ And the reason we do that is
- NOTE Confidence: 0.9104427666666667
- 00:16:19.565 00:16:21.480 even if it's spread to the lungs,
- NOTE Confidence: 0.9104427666666667
- $00:16:21.480 \rightarrow 00:16:24.558$ we still treat very, very aggressively.
- NOTE Confidence: 0.9104427666666667
- 00:16:24.560 --> 00:16:25.835 As Julia said,
- NOTE Confidence: 0.9104427666666667
- $00{:}16{:}25.835 \dashrightarrow 00{:}16{:}28.810$ she got over a year of chemotherapy
- NOTE Confidence: 0.9104427666666667
- $00:16:28.895 \longrightarrow 00:16:31.360$ and other treatments as well.
- NOTE Confidence: 0.9104427666666667
- $00:16:31.360 \rightarrow 00:16:34.600$ And that's because we know that people like
- NOTE Confidence: 0.9104427666666667
- $00:16:34.600 \rightarrow 00:16:37.919$ her can get treatment and do well for years.
- NOTE Confidence: 0.9104427666666667
- $00{:}16{:}37{.}920 \dashrightarrow 00{:}16{:}40{.}194$ So that's it's not like other
- NOTE Confidence: 0.9104427666666667
- $00:16:40.194 \longrightarrow 00:16:42.644$ cancers where if it has spread
- NOTE Confidence: 0.9104427666666667
- $00:16:42.644 \rightarrow 00:16:45.200$ to the lungs from somewhere else,
- NOTE Confidence: 0.9104427666666667
- $00:16:45.200 \longrightarrow 00:16:48.693$ then we may be scaling back on
- NOTE Confidence: 0.9104427666666667
- 00:16:48.693 --> 00:16:50.560 treatments because we're not
- NOTE Confidence: 0.9104427666666667
- $00:16:50.560 \longrightarrow 00:16:52.666$ sure how well they'll do with
- NOTE Confidence: 0.9104427666666667
- $00:16:52.666 \rightarrow 00:16:53.719$ very aggressive treatments.
- NOTE Confidence: 0.92065238375

- 00:16:54.080 --> 00:16:55.920 Yeah. And so, Julia,
- NOTE Confidence: 0.92065238375
- $00{:}16{:}55{.}920 \dashrightarrow 00{:}16{:}59{.}691$ I can only imagine what it must have
- NOTE Confidence: 0.92065238375
- $00{:}16{:}59{.}691 \dashrightarrow 00{:}17{:}03{.}965$ felt like being 22 in PA school and being
- NOTE Confidence: 0.92065238375
- $00{:}17{:}03.965 \dashrightarrow 00{:}17{:}07.280$ told that you had metastatic sarcoma.
- NOTE Confidence: 0.92065238375
- 00:17:07.280 --> 00:17:09.457 Can you talk a little bit about
- NOTE Confidence: 0.92065238375
- $00{:}17{:}09{.}457 \dashrightarrow 00{:}17{:}12{.}199$ kind of how you felt at that moment?
- NOTE Confidence: 0.92065238375
- 00:17:12.200 --> 00:17:15.360 I mean, was this despondent?
- NOTE Confidence: 0.92065238375
- $00:17:15.360 \longrightarrow 00:17:16.680$ Was it optimistic?
- NOTE Confidence: 0.92065238375
- $00{:}17{:}16.680 \dashrightarrow 00{:}17{:}18.880$ And I'm going to fight.
- NOTE Confidence: 0.92065238375
- $00{:}17{:}18.880 \dashrightarrow 00{:}17{:}20.752$ What was your emotional
- NOTE Confidence: 0.92065238375
- $00:17:20.752 \longrightarrow 00:17:23.000$ response to this diagnosis?
- NOTE Confidence: 0.8010929075
- 00:17:23.720 --> 00:17:25.120 Yeah, I, you know,
- NOTE Confidence: 0.8010929075
- $00{:}17{:}25{.}120 \dashrightarrow 00{:}17{:}28{.}632$ I I think I I oscillated back and
- NOTE Confidence: 0.8010929075
- $00:17:28.632 \rightarrow 00:17:31.272$ forth between many different emotions.
- NOTE Confidence: 0.8010929075
- 00:17:31.280 --> 00:17:34.246 Anger is not a very common or
- NOTE Confidence: 0.8010929075
- $00:17:34.246 \longrightarrow 00:17:36.276$ a familiar emotion for me.

- NOTE Confidence: 0.8010929075
- $00:17:36.280 \rightarrow 00:17:40.800$ So I would say probably sadness and fear.
- NOTE Confidence: 0.8010929075
- $00{:}17{:}40.800 \dashrightarrow 00{:}17{:}45.679$ And I have a close friend who's
- NOTE Confidence: 0.8010929075
- $00{:}17{:}45.680 \dashrightarrow 00{:}17{:}49.080$ a childhood cancer survivor who
- NOTE Confidence: 0.8010929075
- $00:17:49.080 \longrightarrow 00:17:52.080$ really stepped up for me and
- NOTE Confidence: 0.8010929075
- $00{:}17{:}52.080 \dashrightarrow 00{:}17{:}54.720$ was kind of my main support.
- NOTE Confidence: 0.8010929075
- $00:17:54.720 \longrightarrow 00:17:57.720$ And it was enormously helpful.
- NOTE Confidence: 0.8010929075
- 00:17:57.720 --> 00:18:01.190 I had, I had a a tribe, you know,
- NOTE Confidence: 0.8010929075
- $00:18:01.190 \longrightarrow 00:18:02.840$ for lack of a better word.
- NOTE Confidence: 0.8010929075
- $00:18:02.840 \longrightarrow 00:18:04.720$ And these and people, they,
- NOTE Confidence: 0.8010929075
- $00:18:04.720 \longrightarrow 00:18:07.944$ my girlfriends came together and when my
- NOTE Confidence: 0.8010929075
- 00:18:07.944 --> 00:18:11.256 blood counts were OK and safe to go places,
- NOTE Confidence: 0.8010929075
- $00{:}18{:}11.256 \dashrightarrow 00{:}18{:}14.280$ they would throw a head wrap on like me.
- NOTE Confidence: 0.8010929075
- 00:18:14.280 --> 00:18:16.555 And we would all go somewhere safe,
- NOTE Confidence: 0.8010929075
- $00{:}18{:}16{.}560 \dashrightarrow 00{:}18{:}16{.}940$ you know,
- NOTE Confidence: 0.8010929075
- $00{:}18{:}16{.}940 \dashrightarrow 00{:}18{:}18{.}080$ go to a restaurant or something.
- NOTE Confidence: 0.8010929075

 $00{:}18{:}18{.}080 \dashrightarrow 00{:}18{:}20{.}519$ And we all would would have had wraps on.

NOTE Confidence: 0.8010929075

 $00{:}18{:}20{.}520 \dashrightarrow 00{:}18{:}23{.}236$ So I didn't have to feel different.

NOTE Confidence: 0.8010929075

 $00:18:23.240 \longrightarrow 00:18:25.850$ And it was those little things

NOTE Confidence: 0.8010929075

 $00{:}18{:}25{.}850 \dashrightarrow 00{:}18{:}28{.}770$ that made an enormous difference in

NOTE Confidence: 0.8010929075

 $00{:}18{:}28{.}770 \dashrightarrow 00{:}18{:}30{.}520$ that year and a half of treatment.

NOTE Confidence: 0.8010929075

 $00{:}18{:}30{.}520 \dashrightarrow 00{:}18{:}35{.}344$ And I had to relocate for some

NOTE Confidence: 0.8010929075

 $00:18:35.344 \longrightarrow 00:18:37.840$ radiation up to Boston.

NOTE Confidence: 0.8010929075

00:18:37.840 --> 00:18:40.306 And that was a difficult part of

NOTE Confidence: 0.8010929075

00:18:40.306 --> 00:18:41.558 the journey for me,

NOTE Confidence: 0.8010929075

 $00:18:41.560 \rightarrow 00:18:45.640$ knowing that I was leaving my support system,

NOTE Confidence: 0.8010929075

00:18:45.640 --> 00:18:48.228 my family and my friends and they

NOTE Confidence: 0.8010929075

 $00{:}18{:}48{.}228 \dashrightarrow 00{:}18{:}50{.}664$ travelled at least twice a month up

NOTE Confidence: 0.8010929075

 $00:18:50.664 \rightarrow 00:18:52.914$ there to do the same thing and you know,

NOTE Confidence: 0.8010929075

 $00:18:52.920 \longrightarrow 00:18:55.200$ bring bring my spirits up.

NOTE Confidence: 0.8010929075

 $00:18:55.200 \rightarrow 00:18:59.358$ And and I do remember specifically just

NOTE Confidence: 0.8010929075

00:18:59.360 --> 00:19:05.160 feeling that love kind of, it didn't make,

- NOTE Confidence: 0.8010929075
- 00:19:05.160 00:19:06.558 didn't make the fear go away,
- NOTE Confidence: 0.8010929075
- 00:19:06.560 00:19:10.120 but it felt a whole lot less lonely.
- NOTE Confidence: 0.8010929075
- $00{:}19{:}10{.}120 \dashrightarrow 00{:}19{:}13{.}599$ And so I'm for ever grateful for the
- NOTE Confidence: 0.8010929075
- $00:19:13.599 \rightarrow 00:19:17.040$ time and effort that that my tribe,
- NOTE Confidence: 0.8010929075
- 00:19:17.040 --> 00:19:17.816 you know,
- NOTE Confidence: 0.8010929075
- $00{:}19{:}17.816 \dashrightarrow 00{:}19{:}20.372$ put in for me and I wouldn't be
- NOTE Confidence: 0.8010929075
- $00{:}19{:}20{.}372 \dashrightarrow 00{:}19{:}21{.}596$ where I am today without them.
- NOTE Confidence: 0.8010929075
- 00:19:21.600 --> 00:19:23.040 So yeah,
- NOTE Confidence: 0.9462672416666667
- $00{:}19{:}23.040 \dashrightarrow 00{:}19{:}24.876$ I think, I think we all,
- NOTE Confidence: 0.9462672416666667
- $00:19:24.880 \longrightarrow 00:19:26.440$ we all need a tribe,
- NOTE Confidence: 0.9462672416666667
- $00:19:26.440 \longrightarrow 00:19:28.265$ whether we're going through cancer
- NOTE Confidence: 0.9462672416666667
- $00:19:28.265 \longrightarrow 00:19:30.799$ or or anything else in our lives.
- NOTE Confidence: 0.9462672416666667
- $00:19:30.800 \longrightarrow 00:19:32.352$ But particularly when you're
- NOTE Confidence: 0.9462672416666667
- $00:19:32.352 \longrightarrow 00:19:34.680$ facing that kind of a diagnosis,
- NOTE Confidence: 0.946267241666667
- 00:19:34.680 --> 00:19:38.320 that's scary. And you know,
- NOTE Confidence: 0.9462672416666667

 $00:19:38.320 \rightarrow 00:19:40.600$ just knowing that you've got people

NOTE Confidence: 0.9462672416666667

 $00{:}19{:}40.600 \dashrightarrow 00{:}19{:}43.428$ around you who love you and care for you

NOTE Confidence: 0.9462672416666667

 $00:19:43.428 \longrightarrow 00:19:46.227$ and we'll go through that with you or at NOTE Confidence: 0.9462672416666667

 $00:19:46.227 \rightarrow 00:19:49.400$ least stand by you as you go through it,

NOTE Confidence: 0.946267241666667

 $00:19:49.400 \longrightarrow 00:19:52.123$ so that you're not alone is so important.

NOTE Confidence: 0.9462672416666667

00:19:52.123 --> 00:19:54.289 Hari, can you talk a little

NOTE Confidence: 0.9462672416666667

 $00:19:54.289 \longrightarrow 00:19:56.760$ bit about the treatment itself?

NOTE Confidence: 0.946267241666667

00:19:56.760 - 00:19:59.120 I mean, on this show we talk a lot about

NOTE Confidence: 0.9462672416666667

00:19:59.187 --> 00:20:01.199 different modalities of treatment,

NOTE Confidence: 0.9462672416666667

 $00:20:01.200 \longrightarrow 00:20:02.808$ whether it's surgery,

NOTE Confidence: 0.9462672416666667

00:20:02.808 --> 00:20:03.880 radiation, chemotherapy,

NOTE Confidence: 0.9462672416666667

 $00{:}20{:}03.880 \dashrightarrow 00{:}20{:}08.840$ immuno therapy and we talk about

NOTE Confidence: 0.9462672416666667

 $00:20:08.840 \longrightarrow 00:20:10.700$ this multidisciplinary kind

NOTE Confidence: 0.9462672416666667

 $00:20:10.700 \longrightarrow 00:20:13.120$ of approach to to cancers.

NOTE Confidence: 0.9462672416666667

00:20:13.120 --> 00:20:16.411 Can you can you talk a little

NOTE Confidence: 0.9462672416666667

00:20:16.411 --> 00:20:19.818 bit about how sarcomas and Ewing

 $00:20:19.818 \rightarrow 00:20:22.480$ sarcoma in particular are treated?

NOTE Confidence: 0.81254167444444

 $00{:}20{:}23.480 \dashrightarrow 00{:}20{:}26.384$ Yes. So I'm glad you mentioned

NOTE Confidence: 0.81254167444444

 $00:20:26.384 \rightarrow 00:20:27.836$ the multidisciplinary approach.

NOTE Confidence: 0.81254167444444

 $00{:}20{:}27{.}840 \dashrightarrow 00{:}20{:}32{.}406$ We have a tumour board which meets

NOTE Confidence: 0.812541674444444

 $00{:}20{:}32{.}406 \dashrightarrow 00{:}20{:}37{.}920$ once a week and any patients who we see

NOTE Confidence: 0.81254167444444

 $00:20:37.920 \rightarrow 00:20:40.664$ either if they're seen by the surgeon

NOTE Confidence: 0.81254167444444

 $00:20:40.664 \rightarrow 00:20:44.112$ or by myself or by one of the radiation

NOTE Confidence: 0.81254167444444

 $00:20:44.112 \longrightarrow 00:20:46.352$ doctors presented at that meeting.

NOTE Confidence: 0.81254167444444

 $00{:}20{:}46{.}360 \dashrightarrow 00{:}20{:}49{.}045$ And we come up with a treatment plan and

NOTE Confidence: 0.81254167444444

00:20:49.045 --> 00:20:50.760 that can involve just like you said,

NOTE Confidence: 0.81254167444444

 $00:20:50.760 \rightarrow 00:20:53.022$ either surgery, radiation or some kind

NOTE Confidence: 0.81254167444444

 $00{:}20{:}53.022 \dashrightarrow 00{:}20{:}55.959$ of what I call systemic treatment.

NOTE Confidence: 0.81254167444444

 $00{:}20{:}55{.}960 \dashrightarrow 00{:}20{:}59{.}590$ So that could be chemother apy or

NOTE Confidence: 0.81254167444444

 $00{:}20{:}59{.}590 \dashrightarrow 00{:}21{:}01{.}316$ immuno therapy or a combination

NOTE Confidence: 0.81254167444444

 $00:21:01.316 \longrightarrow 00:21:03.920$ of two or even three of them.

00:21:03.920 --> 00:21:05.620 And for Ewing Sarcoma,

NOTE Confidence: 0.81254167444444

 $00:21:05.620 \longrightarrow 00:21:09.076$ I think you have to go back to

NOTE Confidence: 0.81254167444444

 $00:21:09.076 \longrightarrow 00:21:12.840$ the early 1900s when it was first

NOTE Confidence: 0.81254167444444

 $00:21:12.840 \longrightarrow 00:21:15.900$ first discovered and named.

NOTE Confidence: 0.81254167444444

 $00{:}21{:}15{.}900 \dashrightarrow 00{:}21{:}20{.}288$ And at that time there were very little

NOTE Confidence: 0.81254167444444

 $00{:}21{:}20{.}288 \dashrightarrow 00{:}21{:}22{.}280$ treatments for it and most people,

NOTE Confidence: 0.81254167444444

00:21:22.280 --> 00:21:24.800 even if it was localized in one area,

NOTE Confidence: 0.81254167444444

00:21:24.800 - 00:21:27.516 did very, very badly with the disease.

NOTE Confidence: 0.81254167444444

 $00{:}21{:}27{.}520 \dashrightarrow 00{:}21{:}30{.}784$ But then in the 1960s and 70s when

NOTE Confidence: 0.81254167444444

 $00:21:30.784 \rightarrow 00:21:32.960$ chemotherapy was being developed,

NOTE Confidence: 0.81254167444444

 $00:21:32.960 \longrightarrow 00:21:35.672$ they started using it on children

NOTE Confidence: 0.81254167444444

 $00{:}21{:}35.672 \dashrightarrow 00{:}21{:}38.200$ with different kinds of cancers.

NOTE Confidence: 0.81254167444444

00:21:38.200 --> 00:21:42.698 And Ewing's sarcoma had an A really

NOTE Confidence: 0.81254167444444

 $00:21:42.698 \rightarrow 00:21:45.752$ very good response to the initial

NOTE Confidence: 0.812541674444444

 $00{:}21{:}45.752 \dashrightarrow 00{:}21{:}47.710$ chemotherapy regimens and eventually

NOTE Confidence: 0.81254167444444

 $00:21:47.710 \rightarrow 00:21:50.652$ they came up with a treatment that

 $00{:}21{:}50.652 \dashrightarrow 00{:}21{:}53.130$ was a combination of three different

NOTE Confidence: 0.81254167444444

 $00:21:53.206 \rightarrow 00:21:55.058$ chemotherapies all given together

NOTE Confidence: 0.81254167444444

00:21:55.058 --> 00:21:57.836 given every two or three weeks.

NOTE Confidence: 0.81254167444444

 $00:21:57.840 \longrightarrow 00:21:59.360$ And for the first time,

NOTE Confidence: 0.81254167444444

00:21:59.360 --> 00:22:01.838 people were surviving with Ewing sarcoma.

NOTE Confidence: 0.81254167444444

 $00{:}22{:}01{.}840 \dashrightarrow 00{:}22{:}04{.}000$ It was not seen before.

NOTE Confidence: 0.81254167444444

 $00{:}22{:}04.000 \dashrightarrow 00{:}22{:}07.048$ And even the people who had a relapse

NOTE Confidence: 0.81254167444444

 $00:22:07.048 \longrightarrow 00:22:09.064$ after that had a good response

NOTE Confidence: 0.81254167444444

 $00:22:09.064 \longrightarrow 00:22:11.200$ to a second line treatment.

NOTE Confidence: 0.81254167444444

00:22:11.200 --> 00:22:14.301 And so many people make fun of

NOTE Confidence: 0.81254167444444

00:22:14.301 --> 00:22:16.393 oncologists because they say, well,

NOTE Confidence: 0.81254167444444

00:22:16.393 --> 00:22:18.158 if one medicine doesn't work,

NOTE Confidence: 0.81254167444444

 $00:22:18.160 \longrightarrow 00:22:19.720$ how about we add another one to it?

NOTE Confidence: 0.81254167444444

 $00{:}22{:}19.720 \dashrightarrow 00{:}22{:}21.478$ And that's exactly what they did.

NOTE Confidence: 0.81254167444444

 $00:22:21.480 \longrightarrow 00:22:23.676$ So they gave the first regimen,

 $00:22:23.680 \longrightarrow 00:22:25.885$ waited 3 weeks and then gave the

NOTE Confidence: 0.81254167444444

 $00{:}22{:}25.885 \dashrightarrow 00{:}22{:}27.804$ second round treatment and then went

NOTE Confidence: 0.81254167444444

 $00{:}22{:}27.804 \dashrightarrow 00{:}22{:}29.634$ back to the first round treatment.

NOTE Confidence: 0.81254167444444

 $00:22:29.640 \longrightarrow 00:22:32.754$ So it's an alternating chemotherapy of

NOTE Confidence: 0.81254167444444

 $00:22:32.754 \rightarrow 00:22:36.200$ really very high doses of medications.

NOTE Confidence: 0.81254167444444

00:22:36.200 --> 00:22:37.832 But as a result,

NOTE Confidence: 0.81254167444444

 $00:22:37.832 \rightarrow 00:22:41.239$ the survival rates went way up from very,

NOTE Confidence: 0.81254167444444

 $00:22:41.240 \rightarrow 00:22:44.120$ very low numbers to many people

NOTE Confidence: 0.81254167444444

 $00:22:44.120 \rightarrow 00:22:46.520$ with localised disease doing very,

NOTE Confidence: 0.81254167444444

 $00:22:46.520 \rightarrow 00:22:49.796$ very well with the with the condition.

NOTE Confidence: 0.81254167444444

 $00{:}22{:}49{.}800 \dashrightarrow 00{:}22{:}52{.}558$ The downside is it's a long treatment,

NOTE Confidence: 0.81254167444444

00:22:52.560 --> 00:22:55.465 so 48 weeks of chemotherapy is very

NOTE Confidence: 0.81254167444444

 $00:22:55.465 \rightarrow 00:22:58.200$ daunting when you're talking to someone,

NOTE Confidence: 0.81254167444444

 $00:22:58.200 \rightarrow 00:22:59.439$ especially young people,

NOTE Confidence: 0.81254167444444

 $00:22:59.439 \longrightarrow 00:23:01.917$ about what they have to face.

NOTE Confidence: 0.81254167444444

 $00:23:01.920 \longrightarrow 00:23:07.197$ But after that, we often in in between,

 $00:23:07.200 \rightarrow 00:23:09.360$ I should say in the middle of that treatment,

NOTE Confidence: 0.81254167444444

 $00:23:09.360 \longrightarrow 00:23:11.796$ we often do either surgery or

NOTE Confidence: 0.81254167444444

00:23:11.796 --> 00:23:14.813 radiation or both to try and control

NOTE Confidence: 0.81254167444444

 $00:23:14.813 \rightarrow 00:23:16.993$ the place where it started.

NOTE Confidence: 0.812541674444444

 $00:23:17.000 \longrightarrow 00:23:19.410$ And that's typically the treatment

NOTE Confidence: 0.81254167444444

 $00:23:19.410 \longrightarrow 00:23:21.820$ definitely for localized disease and

NOTE Confidence: 0.81254167444444

 $00{:}23{:}21.888 \dashrightarrow 00{:}23{:}24.396$ often for metastatic disease as well.

NOTE Confidence: 0.954618995

00:23:24.880 --> 00:23:27.856 And so, Julia, it sounds like you started

NOTE Confidence: 0.954618995

 $00:23:27.856 \rightarrow 00:23:30.877$ on this long journey of chemotherapy.

NOTE Confidence: 0.954618995

00:23:30.880 --> 00:23:32.596 I mean 48 weeks, my goodness,

NOTE Confidence: 0.954618995

 $00{:}23{:}32{.}600 \dashrightarrow 00{:}23{:}34{.}188$ that's almost a year.

NOTE Confidence: 0.954618995

 $00{:}23{:}34{.}188 \dashrightarrow 00{:}23{:}37{.}138$ And and you mentioned that you had

NOTE Confidence: 0.954618995

 $00:23:37.138 \rightarrow 00:23:39.558$ to relocate for radiation therapy.

NOTE Confidence: 0.954618995

 $00:23:39.560 \longrightarrow 00:23:41.456$ Why? Why was that?

NOTE Confidence: 0.954618995

 $00{:}23{:}41{.}456 \dashrightarrow 00{:}23{:}44{.}278$ Was it because the radiation that

 $00:23:44.278 \rightarrow 00:23:46.608$ you required wasn't available where

NOTE Confidence: 0.954618995

00:23:46.608 --> 00:23:49.745 you were being treated or or is was

NOTE Confidence: 0.954618995

 $00:23:49.745 \longrightarrow 00:23:51.635$ it for a particular clinical trial?

NOTE Confidence: 0.954618995

 $00:23:51.640 \rightarrow 00:23:54.120$ Can you tell us a little bit more about that?

NOTE Confidence: 0.954618995

 $00{:}23{:}54{.}120 \dashrightarrow 00{:}23{:}55{.}160$ Yeah, absolutely.

NOTE Confidence: 0.847108545833333

00:23:55.160 --> 00:23:57.455 So surgery and radiation were

NOTE Confidence: 0.847108545833333

 $00:23:57.455 \longrightarrow 00:24:00.479$ both on the table for me.

NOTE Confidence: 0.847108545833333

 $00:24:00.480 \rightarrow 00:24:03.875$ However the surgery would be pretty morbid.

NOTE Confidence: 0.847108545833333

 $00{:}24{:}03.880 \dashrightarrow 00{:}24{:}07.569$ So radiation was was the the

NOTE Confidence: 0.847108545833333

 $00{:}24{:}07{.}569 \dashrightarrow 00{:}24{:}11{.}244$ choice that we made and I relocated

NOTE Confidence: 0.847108545833333

 $00{:}24{:}11{.}244 \dashrightarrow 00{:}24{:}15{.}038$ because of the location of the tumor.

NOTE Confidence: 0.847108545833333

 $00:24:15.040 \longrightarrow 00:24:18.840$ And they Boston has something

NOTE Confidence: 0.847108545833333

 $00:24:18.840 \longrightarrow 00:24:21.880$ called proton beam radiation,

NOTE Confidence: 0.847108545833333

 $00{:}24{:}21.880 \dashrightarrow 00{:}24{:}25.240$ which is a certain type of radiation that

NOTE Confidence: 0.847108545833333

 $00:24:25.240 \rightarrow 00:24:28.484$ can spare surrounding tissues of radiation.

NOTE Confidence: 0.847108545833333

 $00:24:28.484 \rightarrow 00:24:33.240$ And given that it was in my pelvis,

- NOTE Confidence: 0.847108545833333
- $00:24:33.240 \longrightarrow 00:24:35.105$ my ovaries are there and
- NOTE Confidence: 0.847108545833333
- 00:24:35.105 00:24:36.597 many other important organs.
- NOTE Confidence: 0.847108545833333
- $00{:}24{:}36.600 \dashrightarrow 00{:}24{:}38.955$ And so the radiation oncologist
- NOTE Confidence: 0.847108545833333
- $00:24:38.955 \rightarrow 00:24:41.462$ here at Yale had had said,
- NOTE Confidence: 0.847108545833333
- 00:24:41.462 --> 00:24:43.639 you know, I think that this is,
- NOTE Confidence: 0.847108545833333
- $00{:}24{:}43.640 \dashrightarrow 00{:}24{:}46.808$ this is the best type of radiation for
- NOTE Confidence: 0.847108545833333
- $00:24:46.808 \longrightarrow 00:24:50.240$ you and and referred me up to Boston.
- NOTE Confidence: 0.847108545833333
- $00{:}24{:}50{.}240 \dashrightarrow 00{:}24{:}50{.}640$ Yeah.
- NOTE Confidence: 0.930507835555556
- 00:24:51.720 --> 00:24:54.018 And Hari, you know Julia had
- NOTE Confidence: 0.93050783555556
- $00:24:54.018 \rightarrow 00:24:56.516$ mentioned as she was telling her
- NOTE Confidence: 0.930507835555556
- $00:24:56.516 \rightarrow 00:24:59.156$ story that she had many relapses.
- NOTE Confidence: 0.930507835555556
- $00{:}24{:}59{.}160 \dashrightarrow 00{:}25{:}03{.}152$ Is that kind of classic for Ewing sarcoma
- NOTE Confidence: 0.930507835555556
- $00:25:03.152 \rightarrow 00:25:06.460$ that people will relapse and what are
- NOTE Confidence: 0.930507835555556
- $00{:}25{:}06{.}460 \dashrightarrow 00{:}25{:}08{.}910$ their options at that point are are
- NOTE Confidence: 0.93050783555556
- $00:25:08.910 \rightarrow 00:25:11.640$ there clinical trials that are ongoing?
- NOTE Confidence: 0.903114341818182

 $00:25:12.880 \rightarrow 00:25:16.486$ Unfortunately, the relapse rate is quite

NOTE Confidence: 0.903114341818182

00:25:16.486 --> 00:25:19.720 high for metastatic Ewing sarcoma.

NOTE Confidence: 0.903114341818182

 $00:25:19.720 \longrightarrow 00:25:24.235$ We do have other what we call

NOTE Confidence: 0.903114341818182

 $00:25:24.235 \rightarrow 00:25:26.640$ salvage treatment options and

NOTE Confidence: 0.903114341818182

 $00:25:26.640 \rightarrow 00:25:29.436$ Julia's had some of those already.

NOTE Confidence: 0.903114341818182

 $00{:}25{:}29{.}440 \dashrightarrow 00{:}25{:}30{.}960$ As far as clinical trials,

NOTE Confidence: 0.903114341818182

00:25:30.960 --> 00:25:34.992 I know Julia was on one up in Boston.

NOTE Confidence: 0.903114341818182

 $00:25:35.000 \rightarrow 00:25:38.801$ We did have one specifically for Ewing

NOTE Confidence: 0.903114341818182

 $00:25:38.801 \rightarrow 00:25:41.680$ sarcoma probably about 10 years ago.

NOTE Confidence: 0.903114341818182

 $00:25:41.680 \rightarrow 00:25:45.199$ It did not do very well in terms of

NOTE Confidence: 0.903114341818182

 $00{:}25{:}45{.}199 \dashrightarrow 00{:}25{:}48{.}796$ the results were not very promising

NOTE Confidence: 0.903114341818182

 $00{:}25{:}48.800 \dashrightarrow 00{:}25{:}53.048$ and I like to keep in touch with my

NOTE Confidence: 0.903114341818182

 $00{:}25{:}53.048 \dashrightarrow 00{:}25{:}55.240$ colleagues from paediatric oncology.

NOTE Confidence: 0.903114341818182

00:25:55.240 --> 00:25:58.240 As Julia also said earlier,

NOTE Confidence: 0.903114341818182

 $00{:}25{:}58{.}240 \dashrightarrow 00{:}26{:}00{.}151$ this is a disease that affects children

NOTE Confidence: 0.903114341818182

 $00:26:00.151 \longrightarrow 00:26:01.920$ a little bit more than adults.

 $00{:}26{:}01{.}920 \dashrightarrow 00{:}26{:}04{.}818$ So most of the trials will include

NOTE Confidence: 0.903114341818182

 $00:26:04.818 \rightarrow 00:26:06.853$ very young children and they'll

NOTE Confidence: 0.903114341818182

 $00:26:06.853 \rightarrow 00:26:09.352$ have an upper age group of 30,

NOTE Confidence: 0.903114341818182

 $00:26:09.360 \longrightarrow 00:26:12.288$ sometimes up to 50 and I will be

NOTE Confidence: 0.903114341818182

 $00:26:12.288 \longrightarrow 00:26:15.360$ involved in some of the older patients.

NOTE Confidence: 0.903114341818182

00:26:15.360 --> 00:26:19.717 So at the time that Julie was diagnosed,

NOTE Confidence: 0.903114341818182

00:26:19.720 --> 00:26:22.198 we didn't have an available trial,

NOTE Confidence: 0.903114341818182

 $00:26:22.200 \rightarrow 00:26:26.200$ but definitely when one opens,

NOTE Confidence: 0.903114341818182

 $00:26:26.200 \longrightarrow 00:26:28.076$ Julia will be first on my list.

NOTE Confidence: 0.879027789090909

00:26:30.720 --> 00:26:32.904 So, so Julia, it sounds like you went

NOTE Confidence: 0.879027789090909

00:26:32.904 --> 00:26:36.020 up to Boston, you had your radiation,

NOTE Confidence: 0.879027789090909

 $00{:}26{:}36{.}020 \dashrightarrow 00{:}26{:}39{.}286$ you had more chemotherapy and and then

NOTE Confidence: 0.879027789090909

 $00:26:39.286 \rightarrow 00:26:42.030$ it sounds like life was going along well

NOTE Confidence: 0.879027789090909

 $00{:}26{:}42.100 \dashrightarrow 00{:}26{:}44.760$ and then you relapsed again and again.

NOTE Confidence: 0.879027789090909

 $00:26:44.760 \longrightarrow 00:26:47.994$ Tell us about what that was like,

 $00:26:48.000 \rightarrow 00:26:50.418$ how those relapses were were found

NOTE Confidence: 0.879027789090909

 $00{:}26{:}50{.}418 \dashrightarrow 00{:}26{:}53{.}400$ and and how you were treated and

NOTE Confidence: 0.879027789090909

00:26:53.400 --> 00:26:55.120 if at any point you kind of went,

NOTE Confidence: 0.879027789090909

 $00:26:55.120 \rightarrow 00:26:57.360$ Oh my goodness, like here we go again,

NOTE Confidence: 0.879027789090909

 $00:26:57.360 \longrightarrow 00:26:59.800$ How much more is this going to be?

NOTE Confidence: 0.685712601428571

 $00{:}27{:}00{.}440 \dashrightarrow 00{:}27{:}03{.}180$ Yeah, those thoughts definitely cross

NOTE Confidence: 0.685712601428571

 $00:27:03.180 \longrightarrow 00:27:06.800$ my mind here and there for sure.

NOTE Confidence: 0.685712601428571

00:27:06.800 --> 00:27:10.020 But yeah, so I I enrolled on

NOTE Confidence: 0.685712601428571

 $00{:}27{:}10.020 \dashrightarrow 00{:}27{:}12.506$ a clinical trial in Boston.

NOTE Confidence: 0.685712601428571

00:27:12.506 --> 00:27:14.718 And at that time,

NOTE Confidence: 0.685712601428571

00:27:14.720 --> 00:27:17.078 I had passed my physician assistant

NOTE Confidence: 0.685712601428571

00:27:17.078 --> 00:27:19.240 boards and said to myself,

NOTE Confidence: 0.685712601428571

 $00{:}27{:}19{.}240 \dashrightarrow 00{:}27{:}23{.}728$ I'm going to continue my life and try to

NOTE Confidence: 0.685712601428571

 $00:27:23.728 \rightarrow 00:27:26.640$ incorporate they don't cancer into my life.

NOTE Confidence: 0.685712601428571

 $00{:}27{:}26.640 \dashrightarrow 00{:}27{:}29.718$ So I was on this clinical trial for about

NOTE Confidence: 0.685712601428571

 $00:27:29.720 \rightarrow 00:27:34.370 5 1/2$ years while I was working in Boston.

- NOTE Confidence: 0.685712601428571
- $00:27:34.370 \longrightarrow 00:27:36.395$ So that was an interesting,
- NOTE Confidence: 0.685712601428571
- $00:27:36.400 \longrightarrow 00:27:39.975$ beautiful, challenging all all of
- NOTE Confidence: 0.685712601428571
- $00:27:39.975 \longrightarrow 00:27:43.584$ the above experience and during that
- NOTE Confidence: 0.685712601428571
- $00:27:43.584 \rightarrow 00:27:46.510$ time had relapses multiple times,
- NOTE Confidence: 0.685712601428571
- $00{:}27{:}46.510 \dashrightarrow 00{:}27{:}50.862$ about three or four times And you
- NOTE Confidence: 0.685712601428571
- $00{:}27{:}50.862 \dashrightarrow 00{:}27{:}54.719$ know we would locally treat the area
- NOTE Confidence: 0.685712601428571
- $00{:}27{:}54.720 \dashrightarrow 00{:}27{:}57.120$ and I'd continue on the clinical
- NOTE Confidence: 0.685712601428571
- $00:27:57.120 \rightarrow 00:28:00.880$ trial and I was be monitored very
- NOTE Confidence: 0.685712601428571
- $00{:}28{:}00{.}880 \dashrightarrow 00{:}28{:}04{.}950$ closely And then and that was
- NOTE Confidence: 0.685712601428571
- $00:28:04.950 \longrightarrow 00:28:08.304$ that was feasible with living and
- NOTE Confidence: 0.685712601428571
- 00:28:08.304 --> 00:28:11.016 working because I had pretty minimal
- NOTE Confidence: 0.685712601428571
- $00{:}28{:}11.016 \dashrightarrow 00{:}28{:}13.036$ side effects from that systemic
- NOTE Confidence: 0.685712601428571
- $00:28:13.036 \rightarrow 00:28:15.908$ treatment and those local treatments.
- NOTE Confidence: 0.685712601428571
- $00{:}28{:}15{.}908 \dashrightarrow 00{:}28{:}19{.}064$ And then when it spread to
- NOTE Confidence: 0.685712601428571
- $00:28:19.064 \rightarrow 00:28:22.200$ the brain that was really kind of
- NOTE Confidence: 0.685712601428571

 $00{:}28{:}22{.}200 \dashrightarrow 00{:}28{:}24{.}576$ the decision maker that you know

NOTE Confidence: 0.685712601428571

 $00:28:24.576 \longrightarrow 00:28:27.285$ this clinical trial is not not the

NOTE Confidence: 0.685712601428571

 $00{:}28{:}27{.}285 \dashrightarrow 00{:}28{:}29{.}248$ the best course anymore and it's

NOTE Confidence: 0.685712601428571

 $00:28:29.248 \rightarrow 00:28:30.912$ time to take a pause and really

NOTE Confidence: 0.685712601428571

 $00{:}28{:}30{.}912 \dashrightarrow 00{:}28{:}32{.}399$ think about where I'm going next.

NOTE Confidence: 0.8287728725

00:28:33.120 --> 00:28:35.760 Julia is a patient of doctor Harry Desponday,

NOTE Confidence: 0.8287728725

00:28:35.760 --> 00:28:37.216 an Associate Professor of

NOTE Confidence: 0.8287728725

00:28:37.216 --> 00:28:38.672 Medicine and Medical Oncology

NOTE Confidence: 0.8287728725

 $00{:}28{:}38.672 \dashrightarrow 00{:}28{:}40.880$ at the Yale School of Medicine.

NOTE Confidence: 0.8287728725

 $00:28:40.880 \rightarrow 00:28:42.844$ If you have questions,

NOTE Confidence: 0.8287728725

 $00{:}28{:}42.844 \dashrightarrow 00{:}28{:}44.774$ the address is canceranswers@yale.edu,

NOTE Confidence: 0.8287728725

 $00:28:44.774 \rightarrow 00:28:47.498$ and past editions of the program

NOTE Confidence: 0.8287728725

 $00{:}28{:}47{.}498 \dashrightarrow 00{:}28{:}49{.}857$ are available in audio and written

NOTE Confidence: 0.8287728725

 $00{:}28{:}49{.}857 \dashrightarrow 00{:}28{:}50{.}772$ form at yale cancercenter.org.

NOTE Confidence: 0.8287728725

 $00:28:50.772 \rightarrow 00:28:53.400$ We hope you'll join us next time to learn

NOTE Confidence: 0.8287728725

 $00:28:53.450 \rightarrow 00:28:55.118$ more about the fight against cancer.

 $00{:}28{:}55{.}120 \dashrightarrow 00{:}28{:}57{.}622$ Funding for Yale Cancer Answers is NOTE Confidence: 0.8287728725

 $00{:}28{:}57{.}622 \dashrightarrow 00{:}29{:}00{.}000$ provided by Smilow Cancer Hospital.